		Incense category		Acetaldehyde		Acrolein	Formaldehyde	Furfural	Benzene	Styrene	Toluene	Xylene	Benzofuran	4,4-Diamine-3,3-dimethyl-1,1-biphenyl	2-methoxy-4-vinylphenol	Vanillin	α-terpinenol	2,6-dimethyloct-7-en-2-ol
		Type	Smoke															
Danish Environmental Protection Agency	Evaluation			9000 μg/m^3	(9μg/m^3)	0.5 μg/kg-bw/day	200 μg/kg-bw/day	3 μg/kg-bw/day	4 μg/kg-bw/day	200 μg/kg-bw/day	223 μg/kg-bw/day	200 μg/kg-bw/day	3 μg/kg-bw/day	1800 μg/kg-bw/day	50 μg/kg-bw/day	10000 μg/kg-bw/day	30 μg/kg-bw/day	30 μg/kg-bw/day
	Survey result	Stick with stick Stick without stick Cone	-	1/64 ~ 1/200	(5.1 ~ 15.7)	1/3 ~ 1.4	1/80 ~ 1/340	1/21 ~ 1/150	1/2 ~ 1/61	1/740 ~ 1/5000	1/400 ~ 1/2000	1/1100 ~ 1/5000	< 1/60	< 1/47000	< 1/830	1/36000 ~ 1/500000	< 1/140	< 1/40

		Incense category		Acetaldehyde		Acrolein	Formaldehyde	Furfural	Benzene	Styrene	Toluene	Xylene	Benzofuran	4,4-Diamine-3,3-dimethyl-1,1-biphenyl	2-methoxy-4-vinylphenol	Vanillin	α-terpinenol	2,6-dimethyloct-7-en-2-ol
		Type	Smoke															
Nippon Kodo	Mainichi-Koh	Stick without stick	☆☆☆☆	1/190	(5.3)	1	1/220	1/13	1/36	1/4000	1/1500	1/4000	1/300	1/7500000	1/2500	1/1000000	1/10000	1/83000
	Seiun Violet		☆☆	1/270	(3.7)	1/4	1/710	1/38	1/44	1/20000	1/1500	1/5000	1/300	1/7500000	1/5000	1/1000000	1/28000	1/63000
	Seiun Clean		☆	1/210	(4.8)	1/2	1/540	1/33	1/100	1/20000	1/2500	1/5000	1/300	1/7500000	1/5000	< 1/1000000	1/63000	1/130000

Additional notes on the table

* Units: μg/m^3 Exposure concentration

μg/kg-bw/day Intake per 1kg of body weight per day

* Acetaldehyde: Figures in brackets are given as reference, in case the possibility of carcinogenicity is confirmed in future.

* Smoke: The volume of smoke in Nippon Kodo incense is expressed in the following four categories.

☆☆☆☆ Normal
☆☆☆ Low
☆☆ Minimal
☆ Almost zero